



CorePro Plastic LEDbulbs



CorePro LEDbulb ND 10-75W A60 E27 865

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	1,055 lm
Luminous Efficacy (rated) (Nom)	105 lm/W
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	

Stroboscopic effect visibility measure (SVM)	0.4
Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	10 W
Lamp Current (Nom)	90 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.54
Voltage (Nom)	220-240 V
Temperature	
Ambient temperature range	-20 °C to 45 °C
T-Case Maximum (Nom)	85 ℃


Datasheet, 2024, July 10 data subject to change

CorePro Plastic LEDbulbs

Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Frosted	
Bulb Material	Plastic	
Bulb Shape	A60	
Approval and Application		
Energy Efficiency Class	F	
Energy Consumption kWh/1000 h	10 kWh	
EPREL Registration Number	696292	
CE mark	Yes	
EU RoHS compliant	Yes	
EyeComfort	Yes	
Application Conditions		
can it be used in closed luminaires	No	


CorePro LEDbulb ND 10-75W A60 E27
865
CorePro LEDbulb ND 10-75W A60 E27
865
872016916923400
929002306708
929002306708
1
0.034 kg
8720169169234
10
8720169169241

Dimensional drawing




Product	D	С
CorePro LEDbulb ND 10-75W A60 E27 865	60 mm	108 mm

Photometric data




Light Distribution Diagram - CorePro LEDbulb ND 10-75W A60 E27 865



Spectral Power Distribution Colour - CorePro LEDbulb ND 10-75W A60 E27 865

CorePro Plastic LEDbulbs


Photometric data




Catadali Platamenta 43 Philys Lighting B.V. Page 17

General uniform lighting - CorePro LEDbulb ND 10-75W A60 E27 865

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDbulb ND 10-75W A60 E27 865



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.