



MASTER LEDspot ExpertColor AR111



MAS ExpertColor 10.8-50W 927 AR111 40D

MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates such an ambience with superior lighting that has a customized spectrum, high CRI, and deep dimming feature. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot MV and LEDspot Par lamps.

Product data

General Information	
Cap-Base	G53
Nominal lifetime	40,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
Light Technical	
Color Code	927 [CCT of 2700K]
Beam Angle (Nom)	40 degree(s)
Luminous Flux	600 lm
Luminous Intensity (Nom)	1,200 cd
Luminous Efficacy (rated) (Nom)	55 lm/W
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Color Consistency	<4
Color rendering index (CRI)	95
LLMF At End Of Nominal Lifetime (Nom)	70 %

Luminous Flux in 90° Cone (Rated)	600 lm	
Photobiological safety according to EN 62471 RG1		
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	10.8 W	
Lamp Current (Nom)	1,000 mA	
Wattage Equivalent	50 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.7	
Voltage (Nom)	ac electronic 12 V	
Temperature		
T-Case Maximum (Nom)	70 °C	


Datasheet, 2024, June 28 data subject to change

MASTER LEDspot ExpertColor AR111

Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	AR111
Approval and Application	
Energy Efficiency Class	G
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	11 kWh
EPREL Registration Number	648254
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Application Conditions	
can it be used in closed luminaires	No


MAS ExpertColor 10.8-50W 927 AR111
40D
MAS ExpertColor 10.8-50W 927 AR111
40D
871951433395600
929003043402
929003043402
1
0.160 kg
8719514333956
6
8719514333963

Dimensional drawing




Product	D	С
MAS ExpertColor 10.8-50W 927 AR111 40D	111 mm	61 mm

Photometric data








Accent Lighting Spots - MAS ExpertColor 10.8-50W 927 AR111 40D


MASTER LEDspot ExpertColor AR111


Photometric data



Spectral Power Distribution Colour - MAS ExpertColor 10.8-50W 927 AR111 40D

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - MAS ExpertColor 10.8-50W 927 AR111 40D



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.