


PRODUCT DATASHEET

PANEL 600 RECESSED MOUNT FRAME

PANEL PERFORMANCE 600 UGR<19 | Square recessed panel luminaires, tool-free installation and low glare, for 600 x 600 mm ceiling systems



Product benefits

- Seamless installation into plasterboard, wood and metal ceilings from 8 to 30 mm thickness


Product features

- Extruded aluminum frame



TECHNICAL DATA**Dimensions & Weight**

Length	625 mm
Width	625 mm
Height	76 mm
Product weight	1400.00 g

**Materials & Colors**

Product color	White
---------------	-------

Application & Mounting

Mounting type	Recessed
Mounting location	Ceiling

DOWNLOAD DATA**Documents and certificates**

User instruction

Tender texts

Tender documents

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075402881	Folding box 1	647 mm x 102 mm x 638 mm	1492.00 g	42.10 dm ³
4058075402898	Shipping box 2	667 mm x 222 mm x 665 mm	4030.00 g	98.47 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.